

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	ISS&R 12	( ("6143626") or ("5918142") or ("5834346") or ("5759886") or ("5728627") or ("5716891") or ("5552342") or ("5006480") or ("4935380") or ("4830974") or ("4824767") or ("4363830")) .PN.	USPAT	2004/08/16 09:49		
2	BRS 678	resist with reflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 3 17:21		
3	BRS 69	(resist with reflow) and gate and transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 3 17:44		
4	BRS 64	(multilayer\$2 with resist) and (sensitivity with electron)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 3 17:45		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
5	BRS	4079 electron with beam (electron with lithography)	USPAT	2004/08/1 6 09:57		
6	BRS	2172 with lithography) resolution	USPAT	2004/08/1 6 09:50		
7	BRS	((electron with beam with lithography) and resolution) and sensitivity	USPAT	2004/08/1 6 09:50		
8	BRS	756 ((electron with beam with lithography) and resolution) and sensitivity) and (multilevel with resist)	USPAT	2004/08/1 6 09:50		
9	BRS	1471 (multi\$5 with resist) and (electron with beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 6 09:58		
10	BRS	46 ((multi\$5 with resist) and (electron with beam)) and reflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 6 10:44		
11	BRS	89 438/182.ccls.	USPAT; US-PGPUB	2004/08/1 6 10:45		

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
12	BRS 23	438/182.ccls. and resist and electron	USPAT; US-PGPUB	2004/08/1 6 11:48		
13	BRS 3	(438/182.ccls. and resist and electron) and reflow	USPAT; US-PGPUB	2004/08/1 6 12:06		
14	BRS 155	430/296,311,313,330.cc ls. and reflow\$4	USPAT; US-PGPUB	2004/08/1 6 15:55		
15	BRS 35	(430/296,311,313,330.ccls. and reflow\$4) and gate	USPAT; US-PGPUB	2004/08/1 6 12:33		
16	BRS 3	((430/296,311,313,330.ccls. and reflow\$4) and gate) and curing	USPAT; US-PGPUB	2004/08/1 6 12:34		
17	BRS 44	(430/296,311,313,330.ccls. and reflow\$4) and curing	USPAT; US-PGPUB	2004/08/1 6 12:38		
18	BRS 4	(430/296,311,313,330.ccls. and reflow\$4) and (resist with curing)	USPAT; US-PGPUB	2004/08/1 6 12:39		
19	BRS 1892	resist with curing	USPAT; US-PGPUB	2004/08/1 6 12:39		
20	BRS 54	(resist with curing) and PMMA	USPAT; US-PGPUB	2004/08/1 6 12:39		
21	BRS 174	430/296,311,313,330.cc ls. and (heat with curing)	USPAT; US-PGPUB	2004/08/1 6 12:43		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
22	BRS 2	(430/296, 311, 313, 330 .c cls. and (heat with curing)) and PMMA	USPAT; US-PGPUB	2004/08/1 6 14:23		
23	BRS 405	resist with prebaking	USPAT; US-PGPUB	2004/08/1 6 14:23		
24	BRS 14	(resist with prebaking) and MMA	USPAT; US-PGPUB	2004/08/1 6 17:44		
25	BRS 136	438/167, 182-184, 652, 70 4, 725 .cc1s. and reflow\$5	USPAT; US-PGPUB	2004/08/1 6 17:46		